# Class II Air Quality Operating Permit Application Form

**Facility Name:** Click or tap here to enter text.

**Existing Facility ID: A**Click or tap here to enter text.

Existing Class II AQOP: APClick or tap here to enter text.

### **Application Type:**

$\square$ New AQOP		New	$\mathbf{AC}$	OP
--------------------	--	-----	---------------	----

- ☐ Revision of Existing AQOP
- ☐ Renewal of Existing AQOP



#### **Please Submit Application to:**

Nevada Division of Environmental Protection Bureau of Air Pollution Control, Class II Permitting Branch 901 South Stewart Street, Suite 4001 Carson City, Nevada 89701-5249 Phone (775) 687-9349 Fax (775) 687-6396

August 2016

#### IMPORTANT INFORMATION

- The Application packet contains:
  - o General Company Information Form
  - Industrial Process Form
  - o Combustion Equipment Form
  - Storage Silo Form
  - Liquid Storage Tanks Form
  - o Insignificant Activities Form
  - o Facility-Wide Potential to Emit Table
  - Surface Area Disturbance Form
  - o Application Certification Document with Required Attachments
- Please see the Guidance Document for additional instructions on how to complete the application.
- The application is available from the Nevada Division of Environmental Protection Bureau of Air Pollution Control (BAPC) in a Microsoft Word file, or on the internet at <a href="http://ndep.nv.gov/bapc/permitting/permitd.html">http://ndep.nv.gov/bapc/permitting/permitd.html</a>. A printed copy of the application must be submitted (mailed or hand delivered), along with an electronic version.
- The application filing fee required by Nevada Administrative Code (NAC) 445B.327 must be submitted with the completed application. Checks must be made payable to the "Nevada State Treasurer, Environmental Protection" with "BAPC" noted in the memo line. Fees may also be submitted electronically at <a href="https://epayments.ndep.nv.gov/">https://epayments.ndep.nv.gov/</a>.
- This application shall be used for new Class II sources, revisions to existing Class II Air Quality Operating Permits, and the renewal of Class II Air Quality Operating Permits. This application packet is <u>not</u> for use for an Administrative Amendment, a general permit, a stand-alone Surface Area Disturbance (SAD) permit, nor for a Request for Change of Location Approval permit for a temporary source.
- An application for a Class II Air Quality Operating Permit must be signed by the Responsible Official, as defined in NAC 445B.156. The certification/signature page is the last page of the application and the original "wet" signature must be provided.
- All items in the application must be addressed. If an item does not apply "N/A" or similar notation must be entered in the appropriate blank. All other information must be provided. Incomplete applications will be returned to the Responsible Official within 10 working days of receipt of the application.
- For the renewal of a Class II Operating Permit, a complete application and corresponding processing fee must be submitted in accordance with NAC 445B.3473, prior to the expiration date of the current permit. The BAPC suggests that the application be submitted well in advance of the timeline outlined in NAC 445B.3473 to ensure the application is deemed complete.
- If the facility applies for a permit that has not previously held a Class I of Class II operating permit, is located within 1,000 feet of a school, hospital, or residential area, or the Director determines that the change to the stationary source results in an increase in allowable emissions that exceeds the thresholds in NAC 445B.3457, the BAPC shall establish a 30-day period for public participation.

#### GENERAL COMPANY INFORMATION FORM

	y Name and Address that are to appear on the operating perisp. [5B.295.1]:
Name:	
Address	
City:	
State:	Zip Code:
Owner's	Name and Address [NAC 445B.295.1]:
Name:	
Address	
City:	
State:	Zip Code:
Facility	Name and Address, if different from #2 [NAC 445B.295.1]:
Facility Name:	
·	
Name:	
Name: Address:	
Name: Address City: State:	
Name: Address City: State:	Zip Code:  Is are required under the operating permit will be kept at a location other than to
Name: Address: City: State:  If recording facility, Name: Address:	Zip Code:  Is are required under the operating permit will be kept at a location other than to specify that location [NAC 445B.295.7]:
Name: Address: City: State: If record facility, Name:	Zip Code:  Is are required under the operating permit will be kept at a location other than to specify that location [NAC 445B.295.7]:

### **GENERAL COMPANY INFORMATION FORM (continued)**

	nciai Name, Tiue and Maning Add	ress [NAC 445B.295.1]:	
Name:			
Title:			
Address:			
City:			
State:	Zij	Code:	
Phone Number:	(XXX) XXX-XXXX		
Fax Number:	(xxx) xxx-xxxx		
E-mail Address:			
Name: Title: Address: City:			
State:	Ziı	o Code:	
	(xxx) xxx-xxxx		
Phone Number:			
Phone Number: Fax Number:	(XXX) XXX-XXXX		
	(xxx) xxx-xxxx		
Fax Number: E-mail Address: Location and D south of I-80 at	Priving Directions to the Facility (F xx Interchange) [NAC 445B.295.8]	or Example: From Elko, Nevada, 4 r	
Fax Number: E-mail Address:  Location and D south of I-80 at  Township(s):	Priving Directions to the Facility (F xx Interchange) [NAC 445B.295.8]  N; Range(s):  es for the Front Gate of the Facility (	or Example: From Elko, Nevada, 4 rel:  E; Section(s):  NAD 83, Zone 11):	
Fax Number: E-mail Address:  Location and D south of I-80 at  Township(s):  UTM Coordinat	Priving Directions to the Facility (For xx Interchange) [NAC 445B.295.8]  N; Range(s):  Less for the Front Gate of the Facility (Communication of the Facility (Communication)	or Example: From Elko, Nevada, 4 rd: E; Section(s): NAD 83, Zone 11): m East;	
Fax Number: E-mail Address:  Location and D south of I-80 at  Township(s):  UTM Coordinat	Priving Directions to the Facility (F xx Interchange) [NAC 445B.295.8]  N; Range(s):  es for the Front Gate of the Facility (	for Example: From Elko, Nevada, 4 rd:  E; Section(s):  NAD 83, Zone 11):  m East;	

#### **GENERAL COMPANY INFORMATION FORM (continued)**

9.	Emission Cap Requested [NAC 445B.070 and NAC 445B.296.2]:			
	$\square$ Yes $\square$ No (If yes, provide details in the attached Process Narrative)			
10.	<b>Important note</b> for completing the Industrial Process, Combustion Equipment, Storage Silo, and Liquid Storage Tank Application forms: forms need to be included for permitted emission units and insignificant activities. Provide additional forms as needed. All items in the application must be addressed. If an item does not apply then "N/A" or similar notation must be entered in the appropriate blank (TBD, unknown, etc.).			
11.	Is the Facility located within 1,000 feet of a school, hospital, or residential area? $\hfill\Box$ Yes $\hfill\Box$ No			
12.	Does the Facility require controls or other limit restrictions to remain a Class II source? $\Box$ Yes $\Box$ No			

### INDUSTRIAL PROCESS APPLICATION FORM CLASS II OPERATING PERMIT

Emission Unit Description:
Alternative Operating Scenario: ☐ <b>Yes</b> ☐ <b>No</b>
Insignificant Activity: $\square$ Yes $\square$ No If yes, identify exemption regulation:
Subject to a Federal Regulation (40 CFR Part 60, 61, or 63):   Yes  No If yes, identify in attached Process Narrative.

Description			Data
	BAPC Emission Unit ID and System Number  Applicable for Renewal or Revision  Source Classification Code (SCC)  Manufacturer	eg. Unit ID: S2.001, PF1.001 System Number: 5	Data
Equipment Description	Date Manufactured Model Number		
	Equipment Dimensions (LxWxH) Drop Dimensions (LxWxH) if applicable	feet	
	Emissions Released Inside building?	yes/no	
Location of Emission	UTM Northing (NAD 83, Zone 11)	m	
Source	UTM Easting (NAD 83, Zone 11)	m	
	Material Type Processed Operating Time per Day	hour/day	
	Operating Time per Year	hour/year	
Operating	Hourly Throughput Rate	unit/hour	
Parameters	Annual Throughput Rate	<i>unit</i> /year	
	Batch Process if applicable	unit/batch	
	Start Time if operating less than 24 hours/day	hour:minute	
	End Time if operating less than 24 hours/day	hour:minute	
	Type of Control		
	Control Efficiency	%	
Control Equipment	Pollutant(s) Controlled		
	Manufacturer		
	Manufacturer's Guarantee Included?	yes/N/A	
	Stack Height	feet	
	Stack Inside Diameter	feet	
	Stack Temperature	°F	
Stack	Stack Exit Velocity	feet/second	
Parameters	Gas Volume Flow Rate	acfm	
	Gas Volume Flow Rate	dscfm	
	Stack Release Type	Vertical/Capped/ Horizontal	

## INDUSTRIAL PROCESS APPLICATION FORM CLASS II OPERATING PERMIT (continued)

Description			Data
	Emission Factor (with units)	(insert units)	
Particulate	Emission Factor Reference		
Matter (PM) Emissions	Emission Limit	pound/hour	
Binissions	Emission Limit	ton/year	
	Emission Factor (with units)	(insert units)	
	Particulate Emission Factor Reference		
Matter as PM <sub>10</sub> Emissions	Emission Limit	pound/hour	
	Emission Limit	ton/year	
<b>.</b>	Emission Factor (with units)	(insert units)	
Particulate Matter as PM <sub>2.5</sub>	Emission Factor Reference		
Emissions	Emission Limit	pound/hour	
Emissions	Emission Limit	ton/year	
	Pollutant Name		
	Emission Factor (with units)	(insert units)	
Other	Emission Factor Reference		
Pollutants	Emission Limit	pound/hour	
	Emission Limit	ton/year	

# COMBUSTION EQUIPMENT APPLICATION FORM CLASS II OPERATING PERMIT

Emission Unit Description:
Alternative Operating Scenario: ☐ <b>Yes</b> ☐ <b>No</b>
Insignificant Activity: $\square$ <b>Yes</b> $\square$ <b>No</b> If yes, identify exemption regulation:
Subject to a Federal Pagulation (40 CFP Part 60, 61, or 63): \(\subseteq\) Vas \(\subseteq\) No If was identify in process partetive

Description			Data
	BAPC Emission Unit ID and System Number Applicable for Renewal or Revision	eg. Unit ID: S2.001 Sys Number: 5	
Equipment Description	Source Classification Code (SCC)		
	Manufacturer		
	Date Manufactured		
	Model and Serial Number	ı	
	Max Design Heat Input [NAC 445B.3135]	MMBtu/hour	
	Emissions Released Inside building?	yes/no	
For	Max Design Horsepower Output	hp (kW)	
Reciprocating	Type of Engine Code (See Notes*)		
Internal Combustion	Date Constructed	month/day/yr	
Engines (RICE) Only	Cylinder Displacement	liter/cylinder	
(RICE) Only	EPA Tier #		
Location of Emission	UTM Northing (NAD 83, Zone 11)	m	
Source	UTM Easting (NAD 83, Zone 11)	m	
	Fuel Type		
	Operating Time per Day	hour/day	
	Operating Time per Year	hour/year	
Operating Parameters /Fuel Usage	Hourly Usage Rate Maximum Provide Equipment Specification Sheet	<i>unit</i> /hour	
	Annual Usage Rate Maximum	unit/year	
	Sulfur Content	%	
	Heat Content	Btu/unit	
	Start Time if operating less than 24 hours/day	hour:minute	
	End Time if operating less than 24 hours/day	hour:minute	

#### \*Notes:

Code	Description	Code	Description
LU	Limited Use	E-SI	Emergency Spark Ignition
LDG	Landfill/Digester Gas	SI4SRB	Spark Ignition 4-Stroke Rich Burn
	Non-Emergency Compression		
NECI	Ignition	SI4SLB	Spark Ignition 4-Stroke Lean Burn
ECI	Emergency Compression Ignition	S12SLB	Spark Ignition 2-Stroke Lean Burn

# COMBUSTION EQUIPMENT APPLICATION FORM CLASS II OPERATING PERMIT (continued)

Description		Data	
	Type of Control		
	Control Efficiency	%	
Control Equipment	Pollutant(s) Controlled		
Equipment	Manufacturer		
	Manufacturer's Guarantee Included?	yes/N/A	
	Stack Height	feet	
	Stack Inside Diameter	feet	
	Stack Temperature	°F	
Stack	Stack Exit Velocity	feet/second	
Parameters	Gas Volume Flow Rate	acfm	
	Gas Volume Flow Rate	dscfm	
	Stack Release Type	Vertical/Capped/ Horizontal	
Particulate	Emission Factor (with units)	(insert units)	
Matter	Emission Factor Reference		
(PM)	Emission Limit	pound/hour	
Emissions	Emission Limit	ton/year	
Particulate	Emission Factor (with units)	(insert units)	
Matter as	Emission Factor Reference	<b>,</b>	
$PM_{10}$	Emission Limit	pound/hour	
Emissions	Emission Limit	ton/year	
Particulate	Emission Factor (with units)	(insert units)	
Matter as	Emission Factor Reference		
PM <sub>2.5</sub>	Emission Limit	pound/hour	
Emissions	Emission Limit	ton/year	
Sulfur	Emission Factor (with units)	(insert units)	
Dioxide	Emission Factor Reference		
$(SO_2)$	Emission Limit	pound/hour	
Emissions	Emission Limit	ton/year	
Oxides of	Emission Factor (with units)	(insert units)	
Nitrogen	Emission Factor Reference		
$(NO_X)$	Emission Limit	pound/hour	
Emissions	Emission Limit	ton/year	
Carbon	Emission Factor (with units)	(insert units)	
Monoxide	Emission Factor Reference		
(CO)	Emission Limit	pound/hour	
Emissions	Emission Limit	ton/year	

# COMBUSTION EQUIPMENT APPLICATION FORM CLASS II OPERATING PERMIT (continued)

Description			Data
Volatile Organic	Emission Factor (with units)	(insert units)	
Compounds	Emission Factor Reference		
(VOC)	Emission Limit	pound/hour	
Emissions	Emission Limit	ton/year	
Hazardous Air	Emission Factor (with units)	(insert units)	
Pollutants	Emission Factor Reference		
(HAPs) Emissions	Emission Limit	pound/hour	
Specify Each	Emission Limit	ton/year	
a .	Emission Factor (with units)	(insert units)	
Greenhouse Gases (CO <sub>2e</sub> )	Emission Factor Reference		
Emissions	Emission Limit	pound/hour	
Zimssions	Emission Limit	ton/year	
	Pollutant Name	-	
0.4	Emission Factor (with units)	(insert units)	
Other Pollutants	Emission Factor Reference		
Tonutants	Emission Limit	pound/hour	
	Emission Limit	ton/year	

### STORAGE SILO APPLICATION FORM CLASS II OPERATING PERMIT

Emission Unit Description:	
Alternative Operating Scenario:   Yes   No	
Insignificant Activity:   Yes No If yes, identify exemption regulation:	
Subject to a Federal Regulation (40 CFR Part 60, 61, or 63): \(\sigma\) <b>Yes</b> \(\sigma\) <b>No</b> If yes, identify in process parrative.	

Decarintian		Data		
	Description		Silo Loading	Silo Unloading
	BAPC Emission Unit ID and System Number Applicable for Renewal or Revision	eg. Unit ID: S2.001, PF1.001 System Number: 5		
	Source Classification Code (SCC)			
<b>.</b>	Manufacturer			
Equipment Description	Date Manufactured			
Description	Model Number			
	Equipment Dimensions (LxWxH)	feet		
	Drop Dimensions (LxWxH) if applicable	feet		
	Emissions Released Inside building?	yes/no		
Location of Emission	UTM Northing (NAD 83, Zone 11)	m		
Source	UTM Easting (NAD 83, Zone 11)	m		
	Material Type Processed			
	Operating Time per Day	hour/day		
	Operating Time per Year	hour/year		
Operating	Hourly Throughput Rate	unit/hour		
Parameters	Annual Throughput Rate	unit/year		
	Batch Process if applicable	unit/batch		
	Start Time if operating less than 24 hours/day	hour:minute		
	End Time if operating less than 24 hours/day	hour:minute		
	Type of Control			
	Control Efficiency	%		
Control	Pollutant(s) Controlled			
Equipment	Manufacturer			
	Manufacturer's Guarantee Included?	yes/N/A		

## STORAGE SILO APPLICATION FORM CLASS II OPERATING PERMIT (continued)

Description			Data	
			Silo Loading	Silo Unloading
	Stack Height	feet		
	Stack Inside Diameter	feet		
	Stack Temperature	°F		
Stack	Stack Exit Velocity	feet/second		
Parameters	Gas Volume Flow Rate	acfm		
	Gas Volume Flow Rate	dscfm		
	Stack Release Type	Vertical/Capped/ Horizontal		
	Emission Factor (with units)	(insert units)		
Particulate Matter (PM)	Emission Factor Reference			
Emissions	Emission Limit	pound/hour		
	Emission Limit	ton/year		
Particulate	Emission Factor (with units)	(insert units)		
Matter as	Emission Factor Reference			
PM <sub>10</sub>	Emission Limit	pound/hour		
Emissions	Emission Limit	ton/year		
Particulate	Emission Factor (with units)	(insert units)		
Matter as	Emission Factor Reference			
PM <sub>2.5</sub>	Emission Limit	pound/hour		
Emissions	Emission Limit	ton/year		
	Pollutant Name			
Other	Emission Factor (with units)	(insert units)		
Otner Pollutants	Emission Factor Reference			
1 onutants	Emission Limit	pound/hour		
	Emission Limit	ton/year		

### LIQUID STORAGE TANK APPLICATION FORM CLASS II OPERATING PERMIT

Emission Unit Description:	
Alternative Operating Scenario: ☐ Yes ☐ No	
Insignificant Activity:   Yes  No If yes, identify exemption regulation:	
Subject to a Federal Regulation (40 CFR Part 60, 61, or 63): \(\Pi\) Ves \(\Pi\) No If yes, identify in process parrative	

Description			Data
	BAPC Emission Unit ID and eg. Unit ID:		Data
	System Number	S2.001, PF1.001	
	Applicable for Renewal or Revision	System Number: 5	
	Source Classification Code (SCC)		
	Manufacturer		
	Date Manufactured		
	Model Number		
	Heated Tank	yes/no	
	Shell Height	feet	
	Shell Diameter	feet	
	Maximum Liquid Height	feet	
	Average Liquid Height	feet	
Equipment	Capacity of Tank	gallons	
Description	Shell Color		
	Roof Condition	good/poor	
	Roof Type (Cone, Dome, External, or Internal Flo	oating Roof)	
	Roof Height	feet	
	Cone Roof Slope		
	Dome Roof Radius	feet	
	True Vapor Pressure of Liquid	psig	
	Reid Vapor Pressure of Liquid	psig	
	Orientation of Tank	Horizontal/Vertical	
	Submerged Fill [NAC 445B.22093.3]	yes/no	
	Equipment Dimensions (LxWxH)	feet	
Location of Emission	UTM Northing (NAD 83, Zone 11)	m	
Source	UTM Easting (NAD 83, Zone 11)	m	

### LIQUID STORAGE TANKS APPLICATION FORM CLASS II OPERATING PERMIT (continued)

Description			Data
	Material Type		
Operating	Operating Time per Year	hour/year	
Parameters	Maximum Throughput	gallon/hour	
	Maximum Throughput	gallon/year	
	Type of Control	•	
C41	Control Efficiency	%	
Control Equipment	Pollutant(s) Controlled		
Equipment	Manufacturer		
	Manufacturer's Guarantee Included?	yes/no	
Volatile Organic	Emission Factor (with units)	(insert units)	
Compounds	Emission Factor Reference		
(VOC)	Emission Limit	pound/hour	
Emissions	Emission Limit	ton/year	
	Emission Factor (with units)	(insert units)	
Other	Emission Factor Reference		
Pollutants	Emission Limit	pound/hour	
	Emission Limit	ton/year	

# FACILITY-WIDE POTENTIAL TO EMIT TABLE (FOR ALL SOURCES INCLUDING INSIGNIFICANT ACTIVITIES) (POUNDS/HOUR <u>AND</u> TONS/YEAR)

Pollutant	Facility-Wide Potential to Emit (pounds/hour)	Facility-Wide Potential to Emit (tons/year)
Total Particulate Matter (PM)		
Total PM <sub>10</sub>		
Total PM <sub>2.5</sub>		
Total Sulfur Dioxide (SO <sub>2</sub> )		
Total Carbon Monoxide (CO)		
Total Oxides of Nitrogen (NO <sub>X</sub> )		
Total Volatile Organic Compounds (VOC)		
Total Lead (Pb)		
Total Hydrogen Sulfide (H <sub>2</sub> S)		
Total Sulfuric Acid Mist (H <sub>2</sub> SO <sub>4</sub> )		
Total Hazardous Air Pollutants (HAPs)		
Total Greenhouse Gases (CO <sub>2e</sub> )		
Other Regulated Pollutants (Specify)		
		·

Please complete the table below if this application is for the **Revision** of an existing Class II Air Quality Operating Permit. Add more columns if needed for any other applicable regulated pollutants. All values must be in tons per year (TPY) [NAC 445B.3457.5(b)]

Description					Poll	utants								
Description	PM	$PM_{10}$	PM <sub>2.5</sub>	$SO_2$	NOx	со	voc	HAPs	$\mathrm{CO}_{2\mathrm{e}}$	Other				
Permitted Facility-Wide PTE (TPY)														
Proposed Facility-Wide PTE (TPY)														
Change in Facility-Wide PTE (TPY)														

#### SURFACE AREA DISTURBANCE FORM

- 1. Total Acres of the Facility Site: Click or tap here to enter text.
- 2. Total Acres Disturbed: Click or tap here to enter text.
- 3. Add Surface Area Disturbance location as Township(s), Range(s) and Section Click or tap here to enter text.
- 4. A Descriptive Surface Area Disturbance Plan is required to be attached to this application for Surface Area Disturbance greater than 20 acres or for Surface Area Disturbance that occurs in Pahrump Valley (HA 162) of 5 acres or more. In addition, attach a narrative that includes an introduction, contact and location information, site description and associated maps, a description of dust control measures to be utilized, and certification signed by the Responsible Official.
- 5. If the Surface Area Disturbance is greater than 5 acres, please check each box that applies for Best Management Practices (BMPs) used for controlling dust on project's disturbed areas:

#### APPLICATION CERTIFICATION DOCUMENT

(With Required Attachments)

Please check all applicable boxes below to indicate the information provided in your application submittal:

☐ General Company Information Form
☐ Industrial Process Form(s)
☐ Combustion Equipment Form(s)
☐ Storage Silos Form(s)
☐ Liquid Storage Tank Form(s)
☐ Facility-Wide Potential to Emit Table
☐ Surface Area Disturbance Form
☐ Detailed Emission Calculations (for all emission units including IA units)
☐ Process Narrative
☐ Process Flow Diagram(s)
☐ Site Plan(s) showing the locations (UTM coordinates), dimensions, and heights of buildings on the site
□ Maps:
☐ Vicinity Map of where the facility is located in the State.
☐ Area Map of the Facility (including location of all emission units, location of front gate, and fence line)
☐ A map showing the location of the stationary source and the topography of the area, including existing principal streets, roads and highways within 3 miles of the stationary source
☐ Descriptive Surface Area Disturbance Plan
☐ Environmental Evaluation (AERMOD Air Dispersion Modeling) if applicable
[NAC 445B.310]
☐ Manufacturer's Guarantee Certifications <sub>if applicable</sub>
☐ Equipment Specification Sheets if applicable
☐ TANKs Modeling Output if applicable
☐ Application Fee Attached or Electronically Submitted
☐ Digital Copy of Application on CD or Thumb Drive
☐ Application Certification Document with Original Signature

### PLEASE NOTE THE FOLLOWING REQUIREMENTS WHICH APPLY TO PERMIT APPLICANTS DURING THE APPLICATION PROCESS:

- A. A permit applicant must submit supplementary facts or corrected information upon discovery [NAC 445B.297.1(b)].
- B. A permit applicant is required to provide any additional information which the Director requests in writing within the time specified in the Director's request [NAC 445B.297.1(c)].
- C. Submission of fraudulent data or other information may result in prosecution for an alleged criminal offense [NRS 445B.470].

#### **CERTIFICATION:**

I certify that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate and complete.

Signature of Responsible Offici	al	
Print or Type Name and Title		
Time of Type Ivanie and Time		
Date		